



ENDOSCOPY



EXPANDING THE POSSIBILITIES™

Merit Endotek offers an integrated suite of products designed to give clinicians the tools they need to achieve better patient outcomes during complex procedures. By listening to and understanding the needs of our customers, our products have become a benchmark of quality and innovation. Assembled with scrupulous attention to detail, Endotek products benefit from our cutting edge technology and extensive expertise. In addition, each individual product undergoes stringent examination and testing, epitomizing the values that have made the Endotek brand world famous.



AERO[®]

FULLY COVERED TRACHEOBRONCHIAL STENT

Fully covered, laser-cut Nitinol design


Virtually no foreshortening or elongation

Hydrophilic coating

Proprietary anti-migration struts

Low profile delivery catheter

Wide range of available stent sizes



AERO

AEROMINI

AERO DV

ENDOMAXX

ALIMAXXES

ALIMAXX B

BIG-60

ELATION

BAL-TRAP

ANCILLARY

DYNAMIC. ACCURATE. RELIABLE.

The fully covered laser-cut design, controllable dynamic expansion and unique anti-migration struts of the AERO tracheobronchial stent separate it from the competition. AERO delivery systems provide the option to deploy under direct visualization or fluoroscopic guidance. The novel design of the AEROSIZER accurately measures lumen diameter and stricture length, minimizing stent-related complications while reducing patient exposure to radiation. Endotek's line of pulmonary products offer the accuracy needed to keep focus on what really matters – the best care for your patient.

AEROSIZER®

TRACHEOBRONCHIAL STENT
SIZING DEVICE



AERO®

Catalog Number	Stent Size Options		Delivery Device		Package
	Stent Diameter (mm)	Stent Length (mm)	Working Diameter (F)	Working Length (cm)	
90129-207	10	20	16	63	1 unit
90129-208	10	30	16	62	1 unit
90129-209	10	40	16	61	1 unit
90129-210	12	20	16	63	1 unit
90129-211	12	30	16	62	1 unit
90129-212	12	40	16	61	1 unit
90129-213	14	20	16	63	1 unit
90129-214	14	30	16	62	1 unit
90129-215	14	40	16	61	1 unit
90129-204	16	40	22	61	1 unit
90129-205	16	60	22	59	1 unit
90129-206	16	80	22	56	1 unit
90129-201	18	40	22	61	1 unit
90129-202	18	60	22	59	1 unit
90129-203	18	80	22	56	1 unit
90129-216	20	40	22	61	1 unit
90129-217	20	60	22	59	1 unit
90129-218	20	80	22	56	1 unit

AEROSIZER®

Catalog Number	OD (mm)	Length (cm)	Max Diameter (cm)	Package
90129-501	1.68	90	18	1 unit

AEROmini[®]

FULLY COVERED TRACHEOBRONCHIAL STENT SYSTEM

STENT FEATURES


8 mm diameter stents expand the options for difficult strictures

15 mm length provides an additional option for stenting short segments

Suture eyelets aid stent repositioning and removal

Laser cut stent design ensures virtually no foreshortening or elongation—resulting in an accurate stent placement

Improved anti-migration struts are designed to reduce stent migration without the potential complications associated with tissue ingrowth



14 x 15 mm

12 x 15 mm


10 x 15 mm

8 x 15 mm

8 x 20 mm

UNIQUE. PATENT. SECURE.

The AEROmini fully covered tracheobronchial stent system offers an evolution in the delivery of Endotek's market leading airway stent platform. AEROmini's low profile delivery system is designed to provide unparalleled flexibility to aid in the accurate placement of stents in difficult anatomy.



DELIVERY SYSTEM FEATURES

Ergonomic handle and trigger provide accurate single handed deployment of the preloaded stent

Low profile 12F & 16F delivery system for crossing tight strictures

Increased working length for ease of deployment into distal anatomy

Distal Catheter Flex Zone designed to increase trackability of the stent deployment system into tortuous anatomy

Tapered tip may reduce possibility of trauma

AEROmini



Catalog Number	Nominal Stent Diameter (mm)	Expanded Stent Length (mm)	Working Diameter (F)	Working Length (cm)	Packaged
AERO815	8	15	12.5	70	1 unit
AERO820	8	20	12.5	70	1 unit
AERO1015	10	15	12.5	70	1 unit
AERO1215	12	15	16	70	1 unit
AERO1415	14	15	16	70	1 unit

AERO DV[®]

DIRECT VISUALIZATION TRACHEOBRONCHIAL STENT SYSTEM

Designed for accurate placement

5.3 mm or smaller scope passes through delivery system

Visualize proximal and distal ends of stenosis during deployment

Eliminates the need for fluoroscopy

Procedure can be performed bedside




UNIQUE. PRECISE. VISUAL.

The novel design of AERO DV promotes accurate stent placement under direct bronchoscopic visualization. With AERO DV, the clinician can perform stent placement bedside, under moderate sedation, without the use of fluoroscopic guidance. Another example of how Endotek expands the possibilities for the clinicians we serve.

AERO DV[®]

Catalog Number	Stent Size Options		Delivery Device		Package
	Stent Diameter (mm)	Stent Length (mm)	Working Diameter (F)	Working Length (cm)	
90129-310	12	20	28	41	1 unit
90129-311	12	30	28	40	1 unit
90129-312	12	40	28	39	1 unit
90129-313	14	20	28	41	1 unit
90129-314	14	30	28	40	1 unit
90129-315	14	40	28	39	1 unit
90129-304	16	40	30	39	1 unit
90129-305	16	60	30	39	1 unit
90129-306	16	80	30	39	1 unit
90129-301	18	40	30	39	1 unit
90129-302	18	60	30	39	1 unit
90129-303	18	80	30	39	1 unit
90129-316	20	40	30	39	1 unit
90129-317	20	60	30	39	1 unit
90129-318	20	80	30	39	1 unit



AERO

AEROMINI

AERO DV

ENDOMAXX

ALIMAXX-ES

ALIMAXX B

BIG60

ELATION

BAL-TRAP

ANCILLARY

EndoMAXX[®]

FULLY COVERED ESOPHAGEAL STENT

Enhanced proprietary anti-migration struts

Metal proximal & distal repositioning suture

Fully covered with silicone

Increased flexibility & luminal patency

Soft flared ends with a firm mid-body



AERO

AEROMINI

AERO DV

ENDOMAXX

ALIMAXXES

ALIMAXX B

BIG60

ELATION

BAL-TRAP


ANCILLARY

ADVANCED. DEPENDABLE. UNRIVALED.

The EndoMAXX fully covered esophageal stent defines the next era in esophageal stenting. Designed from years of clinical experience and feedback, the EndoMAXX incorporates advanced features that help alleviate common adverse events associated with esophageal stenting.

EndoMAXX®

Catalog Number	Stent Size Options		Delivery Device		Package
	Stent Diameter (mm)	Stent Length (mm)	Working Diameter (F)	Working Length (cm)	
MAXX-197	19	70	24	90	1 unit
MAXX-1910	19	100	24	90	1 unit
MAXX-1912	19	120	24	90	1 unit
MAXX-1915	19	150	24	90	1 unit
MAXX-237	23	70	24	90	1 unit
MAXX-2310	23	100	24	90	1 unit
MAXX-2312	23	120	24	90	1 unit
MAXX-2315	23	150	24	90	1 unit



ALIMAXX-ESTM

FULLY COVERED ESOPHAGEAL STENT

Proprietary anti-migration struts

Unique small diameter sizes

Virtually no foreshortening or elongation

Easy and accurate one-handed delivery

Soft flared ends with a firm mid-body



AERO

AEROMINI

AERO DV

ENDOMAXX

ALIMAXX-ES

ALIMAXX B

BIG60

ELATION

BAL-TRAP


ANCILLARY

ORIGINAL. ACCOMMODATING. DISTINCT.

Merit Endotek offers a large and diverse product offering of esophageal stents. The ALIMAXX was the first self-expanding metal, fully-covered esophageal stent in the US market. The introduction of the smaller diameter sizes – 12 mm, 14 mm, and 16 mm – have continued to set the ALIMAXX-ES apart from the competition.

ALIMAXX-ES™

	Catalog Number	Stent Size Options		Delivery Device		Package
		Stent Diameter (mm)	Stent Length (mm)	Working Diameter (F)	Working Length (cm)	
UNIQUE SIZES	80129-207	12	70	16	67	1 unit
	80129-208	12	100	16	64	1 unit
	80129-209	12	120	16	62	1 unit
	80129-210	14	70	16	67	1 unit
	80129-211	14	100	16	64	1 unit
	80129-212	14	120	16	62	1 unit
	80129-213	16	70	16	67	1 unit
	80129-214	16	100	16	64	1 unit
	80129-215	16	120	16	62	1 unit
	80129-201	18	70	16	67	1 unit
	80129-202	18	100	16	64	1 unit
	80129-203	18	120	16	62	1 unit
	80129-204	22	70	16	67	1 unit
	80129-205	22	100	16	64	1 unit
	80129-206	22	120	16	62	1 unit



ALIMAXX-B®

BILARY STENT SYSTEM


Virtually no foreshortening or elongation

Open cell design

Easy and accurate one handed delivery

Proprietary anti-migration struts

Fluoro and endoscopic visibility



AERO

AEROMINI

AERO DV

ENDOMAXX

ALIMAXXES

ALIMAXX B

BIG60

ELATION

BAL-TRAP

ANCILLARY

SIMPLE. EXACT. CONSISTANT.

The AliMAXX-B Biliary Stent System with its unique design and easy to use deployment system expands the possibilities in the treatment of malignant biliary strictures.

Catalog Number	Stent Diameter	Stent Length	Delivery System Length	Delivery System Diameter
70129-204	8mm	40mm	190cm	6.5F
70129-205	8mm	60mm	192cm	6.5F
70129-206	8mm	80mm	194cm	6.5F
70129-208	10mm	40mm	190cm	6.5F
70129-209	10mm	60mm	192cm	6.5F
70129-210	10mm	80mm	194cm	6.5F

BiliQUICK™

CHOLANGIOGRAPHY RAPID REFILL
CONTINUOUS INJECTION KIT



Catalog Number

Packaging

K12-05301

Packaged 5 Per Box

AERO

AEROMINI

AERO DV

ENDOMAXX

ALIMAXX-ES

ALIMAXX B

BIG60

ELATION

BAL-TRAP

ANCILLARY

ENDOTEK **BIG60**[®]
60 mL INFLATION DEVICE

Convenient all-in-one design

Completely disposable

Lock release handle

Angled pressure gauge

High pressure flexible tubing



AERO
AEROMINI
AERO DV
ENDOMAXX
ALIMAXXES
ALIMAXX B
BIG-60
ELATION
BAL-TRAP
ANCILLARY

QUICK. COMPLETE. INFLATION.

Merit Endotek continues to find ways to meet the changing needs of our customers by pairing our market-leading inflation device experience with our nonvascular stent technology. The BIG60 Inflation Device is an ergonomically designed 60 mL inflation device developed with the user in mind. The BIG60 accurately monitors and displays crucial inflation pressures, while simplifying balloon dilation procedures.

ENDOTEK **BIG60**

Catalog Number	Pressure Gauge	Pressure Rating	Size (mL)	Package
ENDO-AN6012	Analog	12 atm	60	5 units



Catalog Number	Pressure Gauge	Pressure Rating	Size (mL)	Package
ENDO-AN2030	Analog	30 atm	20	5 units
ENDO-DI2030	Digital	30 atm	20	5 units



AERO

AEROMINI

AERO DV

ENDOMAXX

ALIMAXX-ES

ALIMAXX B

BIG60

ELATION

BAL-TRAP

ANCILLARY

ELATION™

BALLOON DILATOR

SINGLE-USE FIXED WIRE & WIRE GUIDED BALLOON DILATOR

Unique catheter design

Optimal balloon clarity

Proprietary balloon construction

Radiopaque marker bands

Catheter securement clip

1cm and 5cm marker bands

Merit Medical Endotek's Elation fixed wire and wireguided balloon dilators provide a controlled, precise, three stage dilation and crystal clear visualization of tight strictures during balloon endoscopy.



AERO

AEROMINI

AERO DV

ENDOMAXX

ALIMAXXES

ALIMAXX B


BIG60

ELATION

BAL-TRAP

ANCILLARY

CONTROL. PRECISION. CLARITY.



ELATION™
BALLOON DILATOR

ELATION SINGLE-USE FIXED WIRE BALLOON DILATOR

Specifications (Packaged 1 Unit)

Catalog Number	Inflated O.D. (mm)	Balloon Length (cm)	Min. Working Channel (mm)	Catheter Size (F)	Working Length (cm)
E6	6-7-8	8	2.8	7.5	180
E8	8-9-10	8	2.8	7.5	180
E10	10-11-12	8	2.8	7.5	180
E12	12-13.5-15	8	2.8	7.5	180
E15	15-16.5-18	8	2.8	7.5	180
E18	18-19-20	8	2.8	7.5	180

ELATION™
BALLOON DILATOR

ELATION SINGLE-USE WIREGUIDED BALLOON DILATOR

Specifications (Packaged 1 Unit)

Catalog Number	Inflated O.D. (mm)	Balloon Length (cm)	Min. Working Channel (mm)	Catheter Size (F)	Working Length (cm)
EPB6	6-7-8	5.5	2.8	7.5	180
EPB8	8-9-10	5.5	2.8	7.5	180
EPB10	10-11-12	5.5	2.8	7.5	180
EPB12	12-13.5-15	5.5	2.8	7.5	180
EPB15	15-16.5-18	5.5	2.8	7.5	180
EB18	18-19-20	5.5	2.8	7.5	180
EPCB6	6-7-8	5.5	2.8	7.5	240
EPCB8	8-9-10	5.5	2.8	7.5	240
EPCB10	10-11-12	5.5	2.8	7.5	240
EPCB12	12-13.5-15	5.5	2.8	7.5	240
EPCB15	15-16.5-18	5.5	2.8	7.5	240
ECB18	18-19-20	5.5	2.8	7.5	240

AERO

AEROMINI

AERO DV

ENDOMAXX

ALIMAXX-ES

ALIMAXX B

BIG60

ELATION

BAL-TRAP

ANCILLARY

TRAPCAPtain™

Specimen Collection Trap

CONVENIENT.SECURE.COMPLIANT.

-Bronchoscope and suction securement clips
-Angled tubing for vertical position
-Wide, stable specimen bottle
-Leak proof lid



TRAPCAPtain™

Specimen Collection Trap

Catalog Number	Bottle Size	Packaged (sterile)
TC80	80 mL	10/box

Brighton

BIPOLAR COAGULATION PROBE

Merit Endotek's coagulation probe incorporates a unique hydrophilic tip that is designed to prevent tissue adherence during coagulation. This facilitates improved tissue coagulation and may shorten procedure time by reducing the number of passes of the probe through the endoscope.

REACH. IRRIGATE. CAUTERIZE.

Incorporates a silver spiral electrode design to promote precise burn from various angles

Unique catheter material to facilitate passage through the endoscope

350 cm catheter length to provide improved reach by physician and staff

Brighton

Catalog Number	Plug Type	Diameter (F)	Length (cm)	Package
BP-7F-DP-350	Dual Plug	7	350	1 unit
BP-7F-SP-350	Single Plug	7	350	1 unit
BP-10F-DP-350	Dual Plug	10	350	1 unit
BP-10F-SP-350	Single Plug	10	350	1 unit



TIO THREE IN ONE

ORAL AIRWAY, BITE BLOCK, O2 PORT

The TIO (Three-In-One) is a combination product that incorporates the benefits of an oropharyngeal airway, a bite block and an oxygen administration port. The TIO enhances procedural efficiency and improves patient care in a multitude of endoscopic procedures that require deep conscious sedation and patients with oropharyngeal obstructions such as sleep apnea.

SAFE. SECURE. ACCESS.

Offered in multiple blade lengths to meet anatomical requirements

Easy and safe insertion of a wide array of endoscopes and flexible bronchoscopes

Designed to deliver supplemental oxygen up to 6.0L/min

TIO THREE IN ONE

Catalog Number	Bite Block Opening (F)	Oral Airway Length (mm)	Package
TIO60-90	60	90	10 units
TIO60-100	60	100	10 units
TIO60-110	60	110	10 units



VACLOK®

VACUUM PRESSURE SYRINGE

Merit Endotek's VacLock Vacuum Pressure Syringe is the perfect tool for creating vacuum pressure. With the VacLock, Merit Endotek continues to support clinicians by turning negative pressure into a positive experience.

DIAGNOSE. SAMPLE. STAGE.

Polycarbonate barrel creates a "smooth as glass" feel and ensures visual clarity of its contents

Plunger design holds negative pressure with ease, and won't inadvertently disengage

Available in 20 mL, 30 mL, 60 mL

Can be used as negative pressure syringe or as standard syringe

Four or six negative pressure settings (Dependent on syringe size)

VACLOK®

Catalog Number	Negative Pressure Settings	Size (mL)	Package
ENDO-VAC20	4 position	20	20 units
ENDO-VAC30	6 position	30	20 units
ENDO-VAC60	6 position	60	25 units



MAXXWIRE®

SUPER STIFF GUIDE WIRE

Endotek has developed guide wires specifically designed for interventional procedures. MAXXWIRE facilitates the tracking of stent delivery systems through difficult anatomy with ease. Its atraumatic floppy tip ensures safe catheter guidance in the most challenging cases.

ACCESS. NAVIGATE. TRACK.

Super stiff 0.035" design facilitates placement during interventional procedures

Strong enough to pass through tight lesions and navigate through tortuous anatomy


Straight floppy tip designed to promote safety

PTFE coated for added lubricity

Offered in 180 cm and 260 cm lengths

MAXXWIRE®

Catalog Number	O.D. (in)	Length (cm)	Shaft	Package
80129-404	0.035	180	Super Stiff	1 unit
80129-406	0.035	260	Super Stiff	1 unit



AERO

AEROMINI

AERO DV

ENDOMAXX

ALIMAXX-ES

ALIMAXX B

BIG60

ELATION

BAL-TRAP

ANCILLARY



Merit Medical Endotek

1600 West Merit Parkway
South Jordan, Utah 84095
1-801-253-1600
1-800-35-MERIT
endotek.merit.com

**Merit Medical Europe, Middle East,
and Africa (EMEA)**

Amerikalaan 42, 6199 AE Maastricht-Airport
The Netherlands
Tel: +31 43 358 82 22

Merit Medical Ireland Ltd.

Parkmore Business Park West
Galway, Ireland
+353 (0) 91 703 733

Free phone for specific country

Austria	0800 295 374	Luxembourg	8002 25 22
Belgium	0800 72 906 (Dutch)	Netherlands	0800 022 81 84
	0800 73 172 (French)	Norway	800 11629
Denmark	80 88 00 24	Sweden	020 792 445
France	0800 91 60 30	Switzerland	800 9000 5060
Finland	0800 770 586	UK	0800 973 115
Germany	0800 182 0871		
Ireland (Republic)	1800 553 163		
Italy	800 897 005		

EXPANDING THE POSSIBILITIES™

endotek.merit.com



403149001/B ID 070516

Please consult the product labels and inserts for any indications, contraindications, potential complications, warnings, precautions and directions for use.